VOLUME 8 1986

SUBJECT INDEX

Acetylcholinesterase activity, 675
  behavioral functions
  chronic exposure
  neurochemical effects
  physiological effects
  soman
  subsymptomatic exposure
Activity level
  certified artificial food dyes, 317
  lead, 265
  learning, 317
  learning set, 265
  monkeys, 265
  oral administration, 317
  postnatal exposure, 265
  prenatal exposure, 265
Activity wheel, 499
  behavioral changes
  lever pressing
  triethyltin
  trimethyltin
Adolescent development, 310
  aggression
  convulsions
  learning and memory
  neonatal diazepam
  neonatal lorazepam
α_2-Adrenergic receptors, 399
  methadone
  opioid receptors
  perinatal exposure
  postnatal exposure
Aggression
  adolescent development, 301
  anxiety, 453
  behavioral changes, 453
  benzodiazepines, 453
  clonazepam, 447
  convulsions, 301
  exploratory behavior, 447
  learning and memory, 301
  locomotor activity, 447
  neonatal diazepam, 301
  neonatal exposure, 453
  neonatal lorazepam, 301
  passive avoidance, 447
  social interaction, 447
Aging rodents, 335
  amphetamines
  barbiturates
  functional deficits
  intrauterine exposure
  mature rodents
  neurobiological changes
  tobacco products
Alcohol
  Archimedes spiral, 77
  attention deficit, 717
  behavioral teratology, 717
  cerebral laterality, 631
  climbing fiber plasticity, 481
  digit span memory, 77
  Fetal Alcohol Syndrome, 631
  human studies, 77
  neonatal development, 375
  prenatal alcohol, 631
  prenatal exposure, 375, 717
  Purkinje cell spines, 481
  side preference behavior, 631
Alcohol neuroembryopathy
  astrocyte differentiation, 17
  astrocyte growth, 11
  ethanol, 11
  glutamine synthetase activity, 17
Alcohol, prenatal, short term, 23
  Fetal Alcohol Syndrome
  olfactory orientation
  open field
  water maze
Alcohol teratogenicity, 329
  epidemiological investigations
  maternal/fetal effects
p-Aminopropiophenone, 171
  drug interactions
  guinea-pigs
  sodium cyanide
  swimming performance
Amphetamines, 335
  aging rodents
  barbiturates
  functional deficits
  intrauterine exposure
  mature rodents
  neurobiological changes
  tobacco products
Amygdala, 615
  behavioral teratology
  ethanol
  kindling
  morphology
  open field
  prenatal exposure
Androgen levels, fetal, 319
  cannabinoids
  demasculinization
  follicle-stimulating hormone levels
  hepatic cytochromes P-450 levels
  luteinizing hormone levels
  perinatal exposure
Anesthesia, 189
  behavioral teratology
  halothane
  nitrous oxide
  postnatal exposure
  prenatal exposure
Antinociception, 311
  behavioral analgesia
  hot plate
  novel environment
  triethyl lead
Antithyroid agent, 69
  methimazole
  perinatal exposure
  swimming methodology
Anxiety, 453
  aggression
  behavioral changes
  benzodiazepines
  neonatal exposure
Apparatus
  figure 8 maze, 493
  hot plate, 311
  multipup homing box, 293
  shuttle box, 605, 727
  stabilometer, 77
  T-maze, 1
  wheel shaped activity monitor, 573
  Wisconsin General Testing Apparatus, 219
Archimedes spiral, 77
  alcohol
  digit span memory
  human studies
Astrocyte differentiation, 17
  alcohol neuroembryopathy
  glutamine synthetase activity
Astrocyte growth, 11
  alcohol neuroembryopathy
  ethanol
Astroglial concentration, 201
  chronic tetrachloroethylene
  deoxyribonucleic acid
  gerbils
  S-100
Attention deficit
  alcohol, 717
  behavioral teratology, 573, 717
  microanalysis of behavior, 573
  operant conditioning, 573
  prenatal exposure, 573, 717
Autoshaping, 163
  chicks
  discrimination learning
  incubation
  prenatal hyperoxia

Barbiturates, 335
  aging rodents
  amphetamines
  functional deficits
  intrauterine exposure
  mature rodents
  neurobiological changes
  tobacco products
Bayley Scales of Infant Development, 151
  human studies
  infant development
  postnatal lead exposure
  prenatal lead exposure
Behavior, adult, 407
  neuroendocrine function
  postweaning administration
  strain differences
  stress-induced analgesia
  delta-9-tetrahydrocannabinol

Behavior incapacitation, 127
motor coordination
soman intoxication
soman stimulator
Behavior parameter, 345
developmental effects
hepatic function
immune system
perinatal cannabinoid exposure
Behavioral analgesia, 311
antinociception
hot plate
novel environment
triethyl lead
Behavioral audiometry, 103
conditioned avoidance response
hearing loss
toluene
Behavioral change, duration, 695
behavioral change, intensity
soman
spontaneous motor activity
sublethal exposure
Behavioral change, intensity, 695
behavioral change, duration
soman
spontaneous motor activity
sublethal exposure
Behavioral changes
activity wheel, 499
aggression, 453
anxiety, 453
benzodiazepines, 453
lever pressing, 499
neonatal exposure, 453
triethyltin, 499
trimethyltin, 499
Behavioral development
behavioral teratology, 561
diazepam, 279
functional development, 561
intrauterine exposure, 279
physical development, 279
prenatal exposure, 561
routine testing battery, 561
Behavioral effects
developmental effects, 605
drug interactions, 605
food presentation, 659
lethality, 659
multiple schedule of reinforcement, 659
pentazocine, 605
postnatal function, 643
prenatal exposure, 605, 643
retinoic acid, 643
triethyltin, 659
tripelennamine, 605
viability, 643
Behavioral functions, 675
acetylcholinesterase activity
chronic exposure
neurochemical effects
physiological effects
soman
subsymptomatic exposure
Behavioral teratology
alcohol, 717
amygdala, 615
anesthesia, 189
attention deficit, 573, 717
behavioral development, 561
developmental effects, 551
ethanol, 615
experimental potential, 209
functional development, 561
general activity, 195
halothane, 189, 195
in utero exposure, 551
kindling, 615
learning, 567
microanalysis of behavior, 573
2,4-D/2,4,5-T mixture, 551
morphology, 615
nitrous oxide, 189, 195
open field, 615
operant conditioning, 573
phenoxy herbicides, 551
postnatal exposure, 189
prenatal exposure, 189, 561, 567, 573, 615, 717
rabbits, 209
reversal, 567
routine testing battery, 561
study review, 585
test battery, 585
visual discrimination, 567
weaning to maturity, 195
Behavioral testing
food deprivation, 703
motor activity, 703
neurotoxicants, 703
neurotoxicology, 89
science policy, 89
systemically toxic agents, 703
water deprivation, 703
Behavioral toxicity, 463
cadmium
developmental toxicity
in utero exposure
locomotor activity
Behavioral toxicology, 97
insecticides
schedule-controlled responding
Benzodiazepine receptor agonist, 425
chronic anxiety
diazepam
short-term spatial memory
Benzodiazepines, 453
aggression
anxiety
behavioral changes
neonatal exposure
Blood ethanol concentration, 403
intragastric intubation
neonates
Body and brain development, 213
vasopressin
vasopressin-antagonists
water metabolism
Brain
amygdala, 615
arcuate nucleus of the hypothalamus, 509
area postrema, 83
caudate nucleus, 591
cerebellum, 51, 383, 481
cerebral aqueduct, 143
cerebral cortex, 399
dendrites, 45
dentate gyrus, 637
frontal cortex, 475
hippocampus, 621, 637
hypothalamus, 399
medial preoptic area, 509
motor cortex, 45
nucleus accumbens, 475
olfactory tubercle, 475
Purkinje cells, 51
raphe nuclei, 475
septum, 475
striatum, 475
subcommissural organ, 143
Brain development, 383
brain ontogeny
ethanol exposure
Brain ontogeny, 383
brain development
ethanol exposure

Cadmium
behavioral toxicity, 463
developmental toxicity, 463
human studies, 307
in utero exposure, 463
lead, 307
locomotor activity, 463
prenatal exposure, 307
psychomotor development, 307
Caffeine, 29
in utero exposure
neurobehavioral development
Cannabinoids, 391
androgen levels, fetal
demasculinization
follicle-stimulating hormone levels
hepatic cytochromes P-450 levels
luteinizing hormone levels
perinatal exposure
Cerebella development, 51
lead poisoning, postnatal
Purkinje cell development
Cerebral aqueduct, 143
congenital hydrocephalus
prenatal X-irradiation
subcommissural organ
Cerebral laterality, 631
alcohol
Fetal Alcohol Syndrome
prenatal alcohol
side preference behavior
Certified artifical food dyes, 317
activity level
learning
oral administration
Chicks, 163
autoshaping
discrimination learning
incubation
prenatal hyperoxia
Chlordecone, 121
estrous
fertility
sexual receptivity
Chronic anxiety, 425
benzodiazepine receptor agonist
diazepam
short-term spatial memory
Chronic exposure, 675
acetylcholinesterase activity
behavioral functions
neurochemical effects
physiological effects
soman
subsymptomatic exposure

Chronic tetrachloroethylene, 201
astroglial concentration
deoxyribonucleic acid
gerbils
S-100
Circadian rhythm, 655
diisopropyl phosphorofluoridate
inter-response times
lever pressing
temporal response characteristics
Climbing fiber plasticity, 481
alcohol
Purkinje cell spines
Clonazepam, 447
aggression
exploratory behavior
locomotor activity
passive avoidance
social interaction
Combined effects, 591
dithiocarbamates
lead
neurotoxicology
neurotransmitter levels
prenatal exposure
Conditioned avoidance response
behavioral audiometry, 103
carbon disulfide, 543
grip strength, 543
hearing loss, 103
sensory-evoked potentials, 543
toluene, 103
Conditioned taste aversion
dose-response functions, 297
drinking, 627
eating, 627
lesions, area postrema, 83
lithium chloride, 297
triethyl lead, 627
trimethyltin chloride, 297
WR-2721, 83
Congenital hydrocephalus, 143
cerebral aqueduct
prenatal X-irradiation
subcommissural organ
Convulsions, 301
adolescent development
aggression
learning and memory
neonatal diazepam
neonatal lorazepam
Carbon disulfide
conditioned avoidance response, 543
grip strength, 543
hearing loss, 533
peripheral conduction time, 533
sensory-evoked potentials, 533, 543
Carbon monoxide, 225
DRL schedule
multiple fixed-ratio
schedule of reinforcement

Delayed Spatial Alternation, 219
Hamilton Search Task
lead exposure
learning
memory
monkeys
Demasculinization, 391
androgen levels, fetal
cannabinoids
follicle-stimulating hormone levels
hepatic cytochromes P-450 levels
luteinizing hormone levels
perinatal exposure
Dendrite development, 45
lead poisoning
motor cortex
Deoxyribonucleic acid, 201
astroglial concentrations
chronic tetrachloroethylene
gerbils
S-100
Dermal exposure, 255
2,4-dichlorophenoxyacetic acid (2,4-D amine)
neurotoxicologic examination
Developmental drug effects, 363
perinatal toxicology
regulatory science
Developmental effects
behavior parameter, 345
behavioral effects, 605
behavioral teratology, 551
drug interactions, 605
hepatic function, 345
immune system, 345
in utero exposure, 551
2,4-D/2,4,5-T mixture, 551
pentazocine, 605
perinatal cannabinoid exposure, 345
phenoxy herbicides, 551
prenatal exposure, 605
tripelennamine, 605
Developmental outcome, 353
neonatal abstinence syndrome
pharmacotherapy
Developmental toxicity, 463
behavioral toxicity
cadmium
in utero exposure
locomotor activity
Diazepam
behavioral development, 279
benzodiazepine receptor agonist, 425
chronic anxiety, 425
immunosuppression, 433
intrauterine exposure, 279
physical development, 279
postnatal teratogenesis, 433
prenatal exposure, 433
short-term spatial memory, 425
2,4,-Dichlorophenoxyacetic acid (2,4-D amine), 255
dermal exposure
neurotoxicologic examination
Digit span memory, 77
alcohol
Archimedes spiral
human studies
Diisopropyl phosphorofluoridate, 655
circadian rhythm
inter-response times
lever pressing
temporal response characteristics
Discrimination learning, 163
autoshaping
chicks
incubation
prenatal hyperoxia
Dithiocarbamates, 591
combined effects
lead
neurotoxicology
neurotransmitter levels
prenatal exposure
Dopaminergic function
locomotor activity, 711
manganese, chronic, 711
serotonergic function, 475
trimethyltin, 475
Dose response functions, 297
conditioned taste aversion
lithium chloride
trimethyltin chloride
Drinking, 627
conditioned taste aversion
eating
triethyl lead
DRL schedule
carbon monoxide, 225
multiple fixed-ratio, 225
neuropathology, 179
operant performance, 179
schedule of reinforcement, 225
soman, 179
Drug
acetylcholine, 231
acrylamide, 703
alcohol, 11, 17, 23, 77, 375, 481, 521, 631, 717
aluminum chloride, 115
amphetamine, 293
d-amphetamine, 711
atropine, 127
n-butyl nitrite, 139
cadmium, 307, 463
caffeine, 29
carbon disulfide, 533, 543
carbon monoxide, 225
carbon tetrachloride, 703
certified artificial food dyes, 317
chlordecone, 121
chlordiazepoxide, 453
chlordimeform, 97
chlorpromazine, 293
clonazepam, 447
deltamethrin, 97
diazepam, 279, 301, 353, 425, 433, 453
2,4-dichlorophenoxyacetic acid, 255
diisopropyl phosphorofluoridate, 655
dimethylaminoethanol, 231
eboracin, 231
erythrosine, 493
ethanol, 1, 11, 17, 77, 383, 403, 415, 469, 525, 667
haloperidol, 703
halothane, 189, 195, 525
alpha-hexachlorocyclohexane, 487
beta-hexachlorocyclohexane, 487
gamma-hexachlorocyclohexane, 487
2,5-hexanedione, 703
hydroxydopamine, 231
hydroxytryptophan, 231
isoamyl nitrite, 139
isobutyl nitrite, 139
lead, 45, 51, 109, 219, 237, 265, 307, 591
lidocaine, 61
lithium chloride, 297
lorazepam, 301, 453
manganese, 711
mepivicaine, 61
methadone, 399
methimazole, 69

methylmercury chloride, 561, 567, 573, 585
methylscopolamine, 287
methysergide, 667
mexiletine, 231
2,4-D/2,4,5-T mixture, 551
monosodium L-glutamate, 509
morphine, 311
naltrexone, 441
nitrous oxide, 189, 195
oxime HI-6, 127
p-aminopropiophenone, 171
p-chlorophenylalanine, 231
para-chlorophenylalanine, 667
paregoric, 353
pentazocine, 605
pentobarbital, 231
pentylenetetrazol, 231, 453, 621
phenobarbitol, 353
polychlorinated biphenyls, 131
quaternary naloxone, 441
retinoic acid, 643
saccharin, 273, 297
scopolamine, 287
sodium cyanide, 171
soman, 127, 179, 675, 695
sulfolane, 621, 687
tetrachloroethylene, 201
tetraethylthiuram disulfide, 591
delta-9-tetrahydrocannabinol, 391, 407
thallium sulfate, 273
toluene, 103, 525, 727
trichloroethylene, 441
1,1,1-trichloroethane, 525
triethyl lead, 311, 627
triethyltin, 499, 659, 703
trimethyltin, 245, 475, 499, 637
trimethyltin chloride, 297
tripelennamine, 605
triphenyl phosphate, 7

Drug interactions
behavioral effects, 605
developmental effects, 605
guinea-pigs, 171
p-aminopropiophenone, 171
pentazocine, 605
prenatal exposure, 605
sodium cyanide, 171
swimming performance, 171
tripelennamine, 605

Eating, 627
conditioned taste aversion
drinking
triethyl lead

Endocrinological dysfunction, 509
monosodium L-glutamate
obesity
ovariectomy

Epidemiological investigations, 329
alcohol teratogenicity
maternal/fetal effect

Erythrosine, 493
exploratory activity
food coloring agents
phototoxicity

Estrous, 121
chlordecone
fertility
sexual receptivity

Ethanol
alcohol neuroembryopathy, 11
amygdala, 615
astrocyte growth, 11
behavioral teratology, 615
hyperactivity, 667
in utero exposure, 469
kindling, 615
methysergide, 667
morphine-induced hypothermia, 469
morphology, 615
open field, 615
para-chlorophenylalanine, 667
prenatal alcohol exposure, 667
prenatal exposure, 615
postnatal exposure, 415
reproduction, 415
thermoregulation, 469

Ethanol exposure, 383
brain development
brain ontogeny

Experimental potential, 209
behavioral teratology
rabbits

Exploratory activity, 493
erythrosine
food coloring agents
phototoxicity

Exploratory behavior, 447
aggression
clonazepam
locomotor activity
passive avoidance
social interaction

Fertility, 121
chlordecone
estrous
sexual receptivity

Fetal alcohol effects, 1
prenatal alcohol
T-maze
visual discrimination

Fetal Alcohol Syndrome
alcohol, 631
alcohol, prenatal, short term, 23
cerebral laterality, 631
olfactory orientation, 23
open field, 23
prenatal alcohol, 631
side preference behavior, 631
water maze, 23

Fixed interval performance, 131
monkeys
PCB exposure
reinforcement-omission

Fixed interval responding, 525
inhalant effects
solvents

Fixed ratio performance, 237
lead exposure, prolonged
lead levels, blood
lead levels, brain
schedule-controlled behavior

Flash evoked potentials, 687
hypothermia, dose-dependent
hypothermia, temperature-dependent
pattern reversal evoked potentials
sulfolane
visual system

Follicle-stimulating hormone levels, 391
androgen levels, fetal
cannabinoids
demasculinization
hepatic cytochromes P-450 levels
luteinizing hormone levels
perinatal exposure

Food coloring agents, 493
erythrosine
exploratory activity
phototoxicity

Food deprivation
behavioral testing, 703
incremental repeated acquisition, 245
learning, 245
motor activity, 703
neurotoxicants, 245, 703
systemically toxic agents, 703
trimethyltin, 245
water deprivation, 703

Food presentation, 659
behavioral effects
lethality
multiple schedule of reinforcement
triethyltin

Functional deficits, 335
aging rodents
amphetamines
barbiturates
intrauterine exposure
mature rodents
neurobiological changes
tobacco products

Functional development, 561
behavioral development
behavioral teratology
prenatal exposure
routine testing battery

General activity, 195
behavioral teratology
halothane
nitrous oxide
weaning to maturity

Gerbils, 201
astroglial concentrations
chronic tetrachloroethylene
deoxyribonucleic acid
S-100

Glutamine synthetase activity, 17
alcohol neuroembryopathy
astrocyte differentiation

Grip strength, 543
carbon disulfide
conditioned avoidance response
sensory-evoked potentials

Guinea-pigs, 171
drug interactions
p-aminopropiophenone
sodium cyanide
swimming performance

Halothane
anesthesia, 189
behavioral teratology, 189, 195
general activity, 195
nitrous oxide, 189, 195
postnatal exposure, 189
prenatal exposure, 189
weaning to maturity, 195

Hamilton Search Task, 219
Delayed Spatial Alternation
lead exposure
learning
memory
monkeys
Hearing loss
behavioral audiometry, 103
carbon disulfide, 533
conditioned avoidance response, 103
peripheral conduction time, 533
sensory-evoked potentials, 533
toluene, 103
Hepatic cytochromes P-450 levels, 391
androgen levels, fetal
cannabinoids
demasculinization
follicle-stimulating hormone levels
luteinizing hormone levels
perinatal exposure
Hepatic function, 345
behavior parameter
developmental effects
immune system
perinatal cannabinoid exposure
Hexachlorocyclohexane isomers, 487
kindling
seizures
Hippocampus, 637
iontophoretic application
spontaneous neuronal activity
trimethyltin
Hormone
insulin, 703
testosterone, 391
Hot plate, 311
antinociception
behavioral analgesia
novel environment
triethyl lead
Human studies
alcohol, 77
Archimedes spiral, 77
Bayley Scales of Infant Development, 151
cadmium, 307
digit span memory, 77
infant development, 151
lead, 307
postnatal lead exposure, 151
prenatal exposure, 307
prenatal lead exposure, 151
Hyperactivity, 667
ethanol
methysergide
para-chlorophenylalanine
prenatal alcohol exposure
Hyperkinesia, 231
mexiletine
myoclonus
seizures, audiogenic
seizures, convulsive
Hypothermia, 621
seizure activity, afterdischarge
seizure activity, audiogenic
seizure activity, pentylenetetrazol
sulfolane
Hypothermia, dose-dependent, 687
flash evoked potentials
hypothermia, temperature-dependent
pattern reversal evoked potentials
sulfolane
visual system
Hypothermia, temperature-dependent, 687
flash evoked potentials
hypothermia, dose-dependent
pattern reversal evoked potentials
sulfolane
visual system

Immune system, 345
behavior parameter
developmental effects
hepatic function
perinatal cannabinoid exposure
Immunosuppression, 433
diazepam
postnatal teratogenesis
prenatal exposure
Incremental repeated acquisition, 245
food deprivation
learning
neurotoxicants
trimethyltin
Incubation, 163
autoshaping
chicks
discrimination learning
prenatal hyperoxia
Infant development, 151
Bayley Scales of Infant Development
human studies
postnatal lead exposure
prenatal lead exposure
Infant growth and development, 357
neonatal growth and development
perinatal addiction
prenatal drug exposure
Inhalant effects, 525
fixed interval responding
solvents
Insecticides, 97
behavioral toxicology
schedule-controlled responding
Internal clock, 727
shock avoidance
single exposure
time estimation
toluene
Inter-response times, 655
circadian rhythm
diisopropyl phosphorofluoridate
lever pressing
temporal response characteristics
Intragastric intubation, 403
blood ethanol concentration
neonates
Intrauterine exposure
aging rodents, 335
amphetamines, 335
barbiturates, 335
behavioral development, 279
diazepam, 279
functional deficits, 335
mature rodents, 335
neurobiological changes, 335
physical development, 279
tobacco products, 335
In utero exposure
behavioral teratology, 551
behavioral toxicity, 463
cadmium, 463
caffeine, 29
developmental effects, 551
developmental toxicity, 463
ethanol, 469
locomotor activity, 463
2,4-D/2,4,5-T mixture, 551
morphine-induced hypothermia, 469
neurobehavioral development, 29
phenoxy herbicides, 551
thermoregulation, 469
Iontophoretic application, 637
hippocampus
spontaneous neuronal activity
trimethyltin

Kindling
amygdala, 615
behavioral teratology, 615
ethanol, 615
hexachlorocyclohexane isomers, 487
morphology, 615
open field, 615
prenatal exposure, 615
seizures, 487

Latent learning, 109
lead exposure
Lead
activity level, 265
cadmium, 307
combined effects, 591
dithiocarbamates, 591
human studies, 307
learning set, 265
monkeys, 265
neurotoxicology, 591
neurotransmitter levels, 591
postnatal exposure, 265
prenatal exposure, 265, 307, 591
psychomotor development, 307
Lead exposure
Delayed Spatial Alternation, 219
Hamilton Search Task, 219
latent learning, 109
learning, 219
memory, 219
monkeys, 219
Lead exposure, prolonged, 237
fixed ratio performance
lead levels, blood
lead levels, brain
schedule-controlled behavior
Lead levels, blood, 237
fixed ratio performance
lead exposure, prolonged
lead levels, brain
schedule-controlled behavior
Lead levels, brain, 237
fixed ratio performance
lead exposure, prolonged
lead levels, blood
schedule-controlled behavior
Lead poisoning, 45
dendrite development
motor cortex
Lead poisoning, postnatal, 51
cerbella development
Purkinje cell development

Learning
activity level, 317
behavioral teratology, 567
certified artificial food dyes, 317
Delayed Spatial Alternation, 219
food deprivation, 245
Hamilton Search Task, 219
incremental repeated acquisition, 245
lead exposure, 219
memory, 219
monkeys, 219
neurotoxicants, 245
oral administration, 317
prenatal exposure, 567
reversal, 567
trimethyltin, 245
visual discrimination, 567
Learning and memory, 301
adolescent development
aggression
convulsions
neonatal diazepam
neonatal lorazepam
Learning set, 265
activity level
lead
monkeys
postnatal exposure
prenatal exposure
Lesions, area postrema, 83
conditioned taste aversion
WR-2721
Lethality
behavioral effects, 659
food presentation, 659
motor performance, 139
multiple schedule of reinforcement, 659
solvent abuse, 139
triethyltin, 659
volatile nitrites, 139
Lever pressing
activity wheel, 499
behavioral changes, 499
circadian rhythm, 655
diisopropyl phosphofluoridate, 655
inter-response times, 655
temporal response characteristics, 655
triethyltin, 499
trimethyltin, 499
Lidocaine, 61
mepivicaine
mid-pregnancy administration
teratogenicity
Lithium chloride, 297
conditioned taste aversion
dose-response function
trimethyltin chloride
Locomotor activity
aggression, 447
behavioral toxicity, 463
cadmium, 463
clonazepam, 447
developmental toxicity, 463
dopaminergic function, 711
exploratory behavior, 447
in utero exposure, 463
manganese, chronic, 711
passive avoidance, 447
social interaction, 447
Long-term consequences, 369
methodological issues
perinatal drug exposure
psychometric methods
Luteinizing hormone levels, 391
androgen levels, fetal
cannabinoids
demasculinization
follicle-stimulating hormone levels
hepatic cytochromes P-450 levels
perinatal exposure

Manganese, chronic, 711
dopaminergic function
locomotor activity
Maternal behavior, 115
neuromotor maturation
prenatal aluminum exposure
Maternal/fetal effects, 329
alcohol teratogenicity
epidemiological investigations
Mature rodents, 335
aging rodents
amphetamines
barbiturates
functional deficits
intrauterine exposure
neurobiological changes
tobacco products
Memory, 219
Delayed Spatial Alternation
Hamilton Search Task
lead exposure
learning
monkeys
Mepivicaine, 61
lidocaine
mid-pregnancy administration
teratogenicity
Methadone, 399
α_2-adrenergic receptors
opioid receptors
perinatal exposure
postnatal exposure
Methimazole, 69
antithyroid agent
perinatal exposure
swimming methodology
Method
Bayley Scales of Infant Development, 151, 357
Bayley Scales of Mental Development, 353
electron microscopy, 255
immunosuppression, 433
Klaus and Hacker swimming method, 69
light microscopy, 255, 499
Methodological issues, 369
long-term consequences
perinatal drug exposure
psychometric methods
Methylscopolamine, 287
offspring hyperactivity
prenatal alcohol
scopolamine
Methysergide, 667
ethanol
hyperactivity
para-chlorophenylalanine
prenatal alcohol exposure
Mexiletine, 231
hyperkinesia
myoclonus
seizures, audiogenic
seizures, convulsive
Microanalysis of behavior, 573
attention deficit
behavioral teratology
operant conditioning
prenatal exposure
Mid-pregnancy administration, 61
lidocaine
mepivicaine
teratogenicity
2,4-D/2,4,5-T Mixture, 551
behavioral teratology
developmental effects
in utero exposure
phenoxy herbicides
Monkeys
activity level, 265
Delayed Spatial Alternation, 219
fixed interval performance, 131
Hamilton Search Task, 219
lead, 265
lead exposure, 219
learning, 219
learning set, 265
memory, 219
PCB exposure, 131
postnatal exposure, 265
prenatal exposure, 265
reinforcement-omission, 131
Monosodium L-glutamate, 509
endocrinological dysfunction
obesity
ovariectomy
Morphine-induced hypothermia, 469
ethanol
in utero exposure
thermoregulation
Morphology, 615
amygdala
behavioral teratology
ethanol
kindling
open field
prenatal exposure
Motor activity, 703
behavioral testing
food deprivation
neurotoxicants
systemically toxic agents
water deprivation
Motor coordination, 127
behavioral incapacitation
soman intoxication
soman stimulation
Motor cortex, 45
dendrite development
lead poisoning
Motor performance, 139
lethality
solvent abuse
volatile nitrites
Multiple fixed-ratio, 225
carbon monoxide
DRL schedule
schedule of reinforcement
Multiple schedule of reinforment, 659
behavioral effects
food presentation
lethality
triethyltin

Myoclonus, 231
hyperkinesia
mexiletine
seizures, audiogenic
seizures, convulsive

Neonatal abstinence syndrome, 353
developmental outcome
pharmacotherapy
Neonatal development, 375
alcohol
prenatal exposure
Neonatal diazepam, 301
adolescent development
aggression
convulsions
learning and memory
neonatal lorazepam
Neonatal exposure, 453
aggression
anxiety
behavioral changes
benzodiazepines
Neonatal growth and development, 357
infant growth and development
perinatal addiction
prenatal drug exposure
Neonatal lorazepam, 301
adolescent development
aggression
convulsions
learning and memory
neonatal diazepam
Neonates
blood ethanol concentration, 403
intragastric intubation, 403
olfactory discrimination, 293
prenatal exposure, 293
Neurobehavioral development, 29
caffeine
in utero exposure
Neurobiological changes, 335
aging rodents
amphetamines
barbiturates
functional deficits
intrauterine exposure
mature rodents
tobacco products
Neurochemical effects, 675
acetylcholinesterase activity
behavioral functions
chronic exposure
physiological effects
soman
subsymptomatic exposure
Neuroendocrine function, 407
behavior, adult
postweaning administration
strain differences
stress-induced analgesia
delta-9-tetrahydrocannabinol
Neuromotor function, 7
triphenyl phosphate
Neuromotor maturation, 115
maternal behavior
prenatal aluminum exposure
Neuropathology, 179
DRL schedule
operant performance
soman

Neurotoxicants
behavioral testing, 703
food deprivation, 245, 703
incremental repeated acquisition, 245
learning, 245
motor activity, 703
systemically toxic agents, 703
trimethyltin, 245
water deprivation, 703
Neurotoxicologic examination, 255
dermal exposure
2,4-dichlorophenoxyacetic acid
Neurotoxicology
behavioral testing, 89
combined effects, 591
dithiocarbamates, 591
lead, 591
neurotransmitter levels, 591
prenatal exposure, 591
science policy, 89
Neurotransmitter levels, 591
combined effects
dithiocarbamates
lead
neurotoxicology
prenatal exposure
Nitrous oxide
anesthesia, 189
behavioral teratology, 189, 195
general activity, 195
halothane, 189, 195
postnatal exposure, 189
prenatal exposure, 189
weaning to maturity, 195
Novel environment, 311
antinociception
behavioral analgesia
hot plate
triethyl lead

Obesity, 509
endocrinological dysfunction
monosodium L-glutamate
ovariectomy
Offspring hyperactivity, 287
methylscopolamine
prenatal alcohol
scopolamine
Olfactory discrimination, 293
neonates
prenatal exposure
Olfactory orientation, 23
alcohol, prenatal, short term
Fetal Alcohol Syndrome
open field
water maze
Open field
alcohol, prenatal, short term, 23
amygdala, 615
behavioral teratology, 615
ethanol, 615
Fetal Alcohol Syndrome, 23
kindling, 615
morphology, 615
olfactory orientation, 23
prenatal exposure, 615
water maze, 23
Operant conditioning, 573
attention deficit
behavioral teratology
microanalysis of behavior
prenatal exposure
Operant performance, 179
DRL schedule
neuropathology
soman
Opioid receptors, 399
α_2-adrenergic receptors
methadone
perinatal exposure
postnatal exposure
Opioids, 441
sexual behavior, males
trichloroethylene
Oral administration, 317
activity level
certified artificial food dyes
learning
Ovariectomy, 509
endocrinological dysfunction
monosodium L-glutamate
obesity

Para-chlorophenylalanine, 667
ethanol
hyperactivity
methysergide
prenatal alcohol exposure
Passive avoidance, 447
aggression
clonazepam
exploratory behavior
locomotor activity
social interaction
Pattern reversal evoked potentials, 687
flash evoked potentials
hypothermia, dose-dependent
hypothermia, temperature-dependent
sulfolane
visual system
PCB exposure, 131
fixed interval performance
monkeys
reinforcement-omission
Pentazocine, 605
behavioral effects
developmental effects
drug interactions
prenatal exposure
tripelennamine
Peptide, 213
arginine-vasopressin
arginine-vasotocin
lysine-vasopression
oxytocin
Perinatal addiction, 357
infant growth and development
neonatal growth and development
prenatal drug exposure
Perinatal cannabinoid exposure, 345
behavior parameter
developmental effects
hepatic function
immune system
Perinatal drug exposure, 369
long-term consequences
methodological issues
psychometric methods
Perinatal exposure
α_2-adrenergic receptors, 399
androgen levels, fetal, 391

antithyroid agent, 69
cannabinoids, 391
demasculinization, 391
follicle-stimulating hormone levels, 391
hepatic cytochromes P-450 levels, 391
luteinizing hormone levels, 391
methadone, 399
methimazole, 69
opioid receptors, 399
postnatal exposure, 399
swimming methodology, 69
Perinatal toxicology, 363
developmental drug effects
regulatory science
Peripheral conduction time, 533
carbon disulfide
hearing loss
sensory-evoked potentials
Pharmacotherapy, 353
developmental outcome
neonatal abstinence syndrome
Phenoxy herbicides, 551
behavioral teratology
developmental effects
in utero exposure
2,4-D/2,4,5-T mixture
Phototoxicity, 493
erythrosine
exploratory activity
food coloring agents
Physical development, 279
behavioral development
diazepam
intrauterine exposure
Physiological effects, 675
acetylcholinesterase activity
behavioral functions
chronic exposure
neurochemical effects
soman
subsymptomatic exposure
Postnatal exposure
activity level, 265
α_2-adrenergic receptors, 399
anesthesia, 189
behavioral teratology, 189
ethanol, 415
halothane, 189
lead, 265
learning set, 265
methadone, 399
monkeys, 265
nitrous oxide, 189
opioid receptors, 399
perinatal exposure, 399
prenatal exposure, 189, 265
reproduction, 415
Postnatal function, 643
behavioral effects
prenatal exposure
retinoic acid
viability
Postnatal lead exposure, 151
Bayley Scales of Infant Development
human studies
infant development
prenatal lead exposure
Postnatal teratogenesis, 433
diazepam
immunosuppression
prenatal exposure
Postweaning administration, 407
behavior, adult
neuroendocrine function
strain differences
stress-induced analgesia
delta-9-tetrahydrocannabinol
Prenatal alcohol
alcohol, 631
cerebral laterality, 631
fetal alcohol effects, 1
Fetal Alcohol Syndrome, 631
methylscopolamine, 287
offspring hyperactivity, 287
saccharin preference, 521
scopolamine, 287
sexual dimorphism, 521
side preference behavior, 631
T-maze, 1
visual discrimination, 1
Prenatal alcohol exposure, 667
ethanol
hyperactivity
methysergide
para-chlorophenylalanine
Prenatal aluminum exposure, 115
maternal behavior
neuromotor maturation
Prenatal drug exposure, 357
infant growth and development
neonatal growth and development
perinatal addiction
Prenatal exposure
activity level, 265
alcohol, 375, 717
amygdala, 615
anesthesia, 189
attention deficit, 573, 717
behavioral development, 561
behavioral effects, 605, 643
behavioral teratology, 189, 561, 567, 573, 615, 717
cadmium, 307
combined effects, 591
developmental effects, 605
diazepam, 433
dithiocarbamates, 591
drug interactions, 605
ethanol, 615
functional development, 561
halothane, 189
human studies, 307
immunosuppression, 433
kindling, 615
lead, 265, 307, 591
learning, 567
learning set, 265
microanalysis of behavior, 573
monkeys, 265
morphology, 615
neonatal development, 375
neonates, 293
neurotoxicology, 591
neurotransmitter levels, 591
nitrous oxide, 189
olfactory discrimination, 293
open field, 615
operant conditioning, 573
pentazocine, 605
postnatal exposure, 189, 265
postnatal function, 643
postnatal teratogenesis, 433
psychomotor development, 307
retinoic acid, 643
reversal, 567
routine testing battery, 561
tripelennamine, 605
viability, 643
visual discrimination, 567
Prenatal hyperoxia, 163
autoshaping
chicks
discrimination learning
incubation
Prenatal lead exposure, 151
Bayley Scales of Infant Development
human studies
infant development
postnatal lead exposure
Prenatal X-irradiation, 143
cerebral aqueduct
congenital hydrocephalus
subcommissural organ
Psychometric methods, 369
long-term consequences
methodological issues
perinatal drug exposure
Psychomotor development, 307
cadmium
human studies
lead
prenatal exposure
Purkinje cell development, 51
cerebella development
lead poisoning, postnatal
Purkinje cell spines, 481
alcohol
climbing fiber plasticity

Rabbits, 209
behavioral teratology
experimental potential
Regulatory science, 363
developmental drug effects
perinatal toxicology
Reinforcement-omission, 131
fixed interval performance
monkeys
PCB exposure
Reproduction, 415
ethanol
postnatal exposure
Retinoic acid, 643
behavioral effects
postnatal function
prenatal exposure
viability
Reversal, 567
behavioral teratology
learning
prenatal exposure
visual discrimination
Route of administration, 273
taste aversion conditioning
thallium sulfate
Routine testing battery, 561
behavioral development
behavioral teratology
functional development
prenatal exposure

S-100, 201
astroglial concentrations

chronic tetrachloroethylene
deoxyribonucleic acid
gerbils
Saccharin preference, 521
prenatal alcohol
sexual dimorphism
Schedule-controlled behavior, 237
fixed ratio performance
lead exposure, prolonged
lead levels, blood
lead levels, brain
Schedule-controlled responding, 97
behavioral toxicology
insecticides
Schedule of reinforcement, 225
carbon monoxide
DRL schedule
multiple fixed-ratio
Science policy, 89
behavioral testing
neurotoxicology
Scopolamine, 287
methylscopolamine
offspring hyperactivity
prenatal alcohol
Seizure activity, afterdischarge, 621
hypothermia
seizure activity, audiogenic
seizure activity, pentylenetetrazol
sulfolane
Seizure activity, audiogenic, 621
hypothermia
seizure activity, afterdischarge
seizure activity, pentylenetetrazol
sulfolane
Seizure activity, pentylenetetrazol, 621
hypothermia
seizure activity, afterdischarge
seizure activity, audiogenic
sulfolane
Seizures, 487
hexachlorocyclohexane isomers
kindling
Seizures, audiogenic, 231
hyperkinesia
mexiletine
myoclonus
seizures, convulsive
Seizures, convulsive, 231
hyperkinesia
mexiletine
myoclonus
seizures, audiogenic
Sensory-evoked potentials
carbon disulfide, 533, 543
conditioned avoidance response, 543
grip strength, 543
hearing loss, 533
peripheral conduction time, 533
Serotonergic function, 475
dopaminergic function
trimethyltin
Sexual behavior, males, 441
opioids
trichloroethylene
Sexual dimorphism, 521
prenatal alcohol
saccharin preference
Sexual receptivity, 121
chlordecone
estrous
fertility
Shock avoidance, 727
internal clock
single exposure
time estimation
toluene
Short-term spatial memory, 425
benzodiazepine receptor agonist
chronic anxiety
diazepam
Side preference behavior, 631
alcohol
cerebral laterality
Fetal Alcohol Syndrome
prenatal alcohol
Single exposure, 727
internal clock
shock avoidance
time estimation
toluene
Social interaction, 447
aggression
clonazepam
exploratory behavior
locomotor activity
passive avoidance
Sodium cyanide, 171
drug interactions
guinea-pigs
p-aminopropiophenone
swimming performance
Solvent abuse, 139
lethality
motor performance
volatile nitrites
Solvents, 525
fixed interval responding
inhalant effects
Soman
acetylcholinesterase activity, 675
behavioral change, duration, 695
behavioral change, intensity, 695
behavioral functions, 675
chronic exposure, 675
DRL schedule, 179
neurochemical effects, 675
neuropathology, 179
operant performance, 179
physiological effects, 675
spontaneous motor activity, 695
sublethal exposure, 695
subsymptomatic exposure, 675
Soman intoxication, 127
behavior incapacitation
motor coordination
soman stimulator
Soman stimulator, 127
behavior incapacitation
motor coordination
soman intoxication
Spontaneous motor activity, 695
behavioral change, duration
behavioral change, intensity
soman
sublethal exposure
Spontaneous neuronal activity, 637
hippocampus
iontophoretic application
trimethyltin
Strain differences, 407
behavior, adult
neuroendocrine function
postweaning administration
stress-induced analgesia
delta-9-tetrahydrocannabinol
Stress-induced analgesia, 407
behavior, adult
neuroendocrine function
postweaning administration
strain differences
delta-9-tetrahydrocannabinol
Study review, 585
behavioral teratology
test battery
Subcommissural organ, 143
cerebral aqueduct
congenital hydrocephalus
prenatal X-irradiation
Sublethal exposure, 695
behavioral change, duration
behavioral change, intensity
soman
spontaneous motor activity
Subsymptomatic exposure, 675
actylcholinesterase activity
behavioral functions
chronic exposure
neurochemical effects
physiological effects
soman
Sulfolane
flash evoked potentials, 687
hypothermia, 621
hypothermia, dose-dependent, 687
hypothermia, temperature-dependent, 687
pattern reversal evoked potentials, 687
seizure activity, afterdischarge, 621
seizure activity, audiogenic, 621
seizure activity, pentylenetetrazol, 621
visual system, 687
Swimming methodology, 69
antithyroid agent
methimazole
perinatal exposure
Swimming performance, 171
drug interactions
guinea-pigs
p-aminopropiophenone
sodium cyanide
Systemically toxic agents, 703
behavioral testing
food deprivation
motor activity
neurotoxicants
water deprivation

Taste aversion conditioning, 273
route of administration
thallium sulfate
Temporal response characteristics, 655
circadian rhythm
diisopropyl phosphofluoridate
inter-response times
lever pressing
Teratogenicity, 61
lidocaine
mepivicaine
mid-pregnancy
Test battery, 585
behavioral teratology
study review
delta-9-Tetrahydrocannabinol, 407
behavior, adult

neuroendocrine function
postweaning administration
strain differences
stress-induced analgesia
Thallium sulfate, 273
route of administration
taste aversion conditions
Thermoregulation, 469
ethanol
in utero exposure
morphine-induced hypothermia
Time estimation, 727
internal clock
shock avoidance
single exposure
toluene
T-maze, 1
fetal alcohol effects
prenatal alcohol
visual discrimination
Tobacco products, 335
aging rodents
amphetamines
barbiturates
functional deficits
intrauterine exposure
mature rodents
neurobiological changes
Toluene
behavioral audiometry, 103
conditioned audiometry, 103
hearing loss, 103
internal clock, 727
shock avoidance, 727
single exposure, 727
time estimation, 727
Trichloroethylene, 441
opioids
sexual behavior, males
Triethyl lead
antinociception, 311
behavioral analgesia, 311
conditioned taste aversion, 627
drinking, 627
eating, 627
hot plate, 311
novel environment, 311
Triethyltin
activity wheel, 499
behavioral changes, 499
behavioral effects, 659
food presentation, 659
lethality, 659
lever pressing, 499
multiple schedule of reinforcement, 659
trimethyltin, 499
Trimethyltin
activity wheel, 499
behavioral changes, 499
dopaminergic function, 475
food deprivation, 245
hippocampus, 637
incremental repeated acquisition, 245
iontophoretic application, 637
learning, 245
lever pressing, 499
neurotoxicants, 245
serotonergic function, 475
spontaneous neuronal activity, 637
triethyltin, 499
Trimethyltin chloride, 297
conditioned taste aversion
dose-response function
lithium chloride
Tripelennamine, 605
behavioral effects
developmental effects
drug interactions
pentazocine
prenatal exposure
Triphenyl phosphate, 7
neuromotor function

Vasopressin, 213
body and brain development
vasopressin-antagonists
water metabolism
Vasopressin-antagonists, 213
body and brain development
vasopressin
water metabolism
Viability, 643
behavioral effects
postnatal function
prenatal exposure
retinoic acid
Visual discrimination
behavioral teratology, 567
fetal alcohol effects, 1
learning, 567
prenatal alcohol, 1
prenatal exposure, 567
reversal, 567
T-maze, 1
Visual system, 687
flash evoked potentials
hypothermia, dose-dependent
hypothermia, temperature-dependent
pattern reversal evoked potentials
sulfolane
Volatile nitrites, 139
lethality
motor performance
solvent abuse

Water deprivation, 703
behavioral testing
food deprivation
motor activity
neurotoxicants
systemically toxic agents
Water maze, 23
alcohol, prenatal, short term
fetal alcohol syndrome
olfactory orientation
open field
Water metabolism, 213
body and brain development
vasopressin
vasopressin-antagonists
Weaning to maturity, 195
behavioral teratology
general activity
halothane
nitrous oxide
WR-2721, 83
conditioned taste aversion
lesions, area postrema

AUTHOR INDEX

Abel, E. L., 329, 521
Albee, R. R., 255
Albertson, T. E., 487
Alexander, G. J., 231
Alexander, R. B., 231
Alfred, L. J., 369
Ali, M. M., 463
Anderson, W. J., 45, 51
Anger, W. K., 731
Armstrong, D. L., 637
Armstrong, R. D., 695
Arnold, A., 7

Baker, S. J., 77
Balster, R. L., 139, 525
Barr, H. M., 717
Bass, R., 567
Becker, E., 533
Beier, J. M., 29
Bellinger, D., 151
Beluhan, F. Z., 433
Bernuzzi, V., 115
Boer, G. J., 213
Bond, N. W., 287, 667
Bonithon-Kopp, C., 307
Booth, R. A., 675
Bowman, R. E., 131, 219
Boyes, W. K., 687
Branch, B. J., 469
Breen, T. J., 139
Brockhaus, A., 265
Brodie, R. E., 7, 29, 293
Brown, N. T., 493
Buckholtz, N. S., 89
Burdette, L. J., 621
Burns, E. M., 383
Burns, K. A., 357
Burns, W. J., 357

Cadete-Leite, A., 481
Cain, D. P., 615
Caudle, A., 509
Chandra, S. V., 463
Chang, L. W., 499, 659
Chasnoff, I. J., 357
Chatterjie, N., 231
Chrzan, G. J., 77
Coggeshall, E. M., 139
Coles, C. D., 375
Commissaris, R. L., 711
Cork, A. E., 637
Cory-Slechta, D. A., 237
Cunningham, C. L., 163
Czech, D. A., 627

Dacanay, R. J., 297
Dalterio, S. L., 345, 391
DeHaven, D. L., 475
Desor, D., 115
Dintcheff, B. A., 521
Distel, H., 209
D'Mello, G. D., 171
Dragan, Y., 139
Driscoll, C. D., 605
Dyer, R. S., 621, 687

Elsner, J., 573, 585

Falek, A., 375
Farmer, J. D., 273
Faubert, P., 627
Fernandez, K., 23
Fernhoff, P. M., 375
File, S. E., 301, 447, 453
Finnegan, L. P., 353
Francisco, D. L., 163

Galloway, W. D., 493
Gerber, G. J., 703
Glowa, J. R., 97
Gray, S. L., 1

Haggerty, G. C., 695
Haglid, K. G., 201
Hetzler, B. E., 687
Hollenbeck, A. R., 61
Hong, J.-S., 407
Hosokawa, T., 727
Howd, R. A., 103
Hudson, R., 209
Huel, G., 307
Hunt, W. A., 83

Idemudia, S. O., 499
Isaac, L., 425

Jenden, D. J., 675
Johnson, J. H., 407
Johnson, K. A., 255
Joy, R. M., 487

Kaltenbach, K., 353
Kanak, M. F., 383
Kennedy, L. A., 11, 17
Kirchner, G. L., 717
Kjellstrand, P., 201
Kocarnik, D., 163
Koëter, H. B. W. M., 189, 195
Kokka, N., 469
Kopeloff, L. M., 231
Krigman, M. R., 475
Kruckeberg, T. W., 383
Kurtz, P., 695
Kurtz, S. L., 61

Lancaster, J., 375
Lauretz, S. D., 675
Lee, J., 83
Lehr, P. R., 115
Leu, J. R., 655
Levin, E. D., 131, 219
Leviton, A., 151
Lewis, J. W., 469
Light, K. E., 403
Lilienthal, H., 265
Livezey, G. T., 425, 433
Ljungberg, T., 591
Lorden, J. F., 509
Lorton, D., 45, 51

McDonough, J. H., Jr., 179
McGrew, E. A., 433
McLamb, R. L., 311
McMillan, D. E., 245, 499, 659

MacPhail, R. C., 273
Mailman, R. B., 475
Marczynski, T. J., 425, 433
Martin, D. C., 717
Martin, J. C., 335
Massaro, E. J., 109
Massaro, T. F., 109
Mastropaolo, J. P., 297
Mattran, K. M., 61
Mattsson, J. L., 255
Means, L. W., 1
Medlin, C. W., 1
Mele, P. C., 131
Mesloh, B. L., 415
Metcalfe, J., 163
Meyer, L. S., 605
Michael, S. D., 391
Millan, D. P., 69
Miller, G. D., 109
Mills-Smith, M. C., 293
Mohammad, F. K., 551
Mokler, D. J., 407
Molik, B., 265
Montemayor, F., 637
Moreau, T., 307
Morris, R. A., 363
Moser, V. C., 525
Mukerji, S., 11, 17
Murthy, R. C., 463

Nachtman, J. P., 711
Needleman, H. L., 151
Nelson, J. L., 441
Nelson, L. R., 469
Nolen, G. A., 643

O'Donnell, M. W., 7
O'Donnell, M. W., Jr., 29
Olvey, K. M., 493
O'Shaughnessy, D., 703
Oskarsson, A., 591
Ossenkopp, K.-P., 615

Panem, S., 89
Pappas, B. A., 279
Park, C. N., 77
Parrish-Johnson, J. C., 717
Pasulka, P., 399
Paula-Barbosa, M. M., 481
Paule, M. G., 245
Peele, D. B., 273
Perry, B., 399
Pizzi, W. J., 399
Pryor, G. T., 103, 543

Quander, D. Y., 293
Quast, J. F., 255

Rabin, B. M., 83
Rabinowitz, M., 151
Raslear, T. G., 655
Read, H. L., 637
Rebert, C. S., 533, 543
Rees, D. C., 139
Reisen, C. A., 317
Rice, S. A., 69
Riley, A. L., 297
Riley, E. P., 605, 631
Ritchie, A. J., 415
Robinson, S. E., 407
Rodier, P. M., 189, 195
Rosecrans, J. A., 407
Rosengren, L. E., 201
Rothblat, L. A., 317
Russ, R. D., 1
Russell, R. W., 675
Ryan, C. L., 279

Saito, K., 727
Sampson, P. D., 717
Saunders, J. H., 77
Schnoll, S. H., 357, 399
Schön, H., 561
Schreiner, G., 567, 585
Schrot, J., 225
Serbus, D. C., 403
Simmons, L., 655
Smith, C. A., 675
Smith, C. D., 179
Smith, I. E., 375
Smith, R. F., 61, 179
Snijdewint, F. G. M., 213
Sobotka, T. J., 7, 29, 293
Sokol, R. J., 329
Sonderegger, T. B., 325, 363, 415
Sorenson, S. S., 543
Spencer, M., 415
Ståhle, L., 591
Stark, L. G., 487
Stibler, H., 383
St. Omer, V. E. V., 551
Strauss, M. E., 369
Streissguth, A. P., 717
Suter, K. E., 561, 585

Takeuchi, I. K., 143
Takeuchi, Y. K., 143
Tavares, M. A., 481
Taylor, A. N., 469
Tharp, A., 415
Thomas, J. R., 225
Thomford, P. J., 391
Tilson, H. A., 311
Tossman, U., 591
Tubben, R. E., 711

Ulbrich, B., 567, 585
Ungerstedt, U., 591
Uphouse, L., 121

Van Helden, H. P. M., 127
Vanwersch, R. A. P., 127
Viirre, E., 615
Vorhees, C. V., 23

Wada, H., 727
Walsh, T. J., 311
Wang, C., 399
Waternaux, C., 151
Wayner, M. J., 637
Wendling, R., 307
Wenger, G. R., 499, 659
West, G. L., 7, 29, 293
Wharton, G. G., 61
Winneke, G., 265
Wolthuis, O. L., 127

Young, M. W., 403

Zenick, H., 441
Zimmerberg, B., 631